



GEOTECHNICAL REPORT NOTE:
 * ENGINEERING DOCUMENTS HAVE BEEN BASED ON A PRELIMINARY GEOTECHNICAL REPORT AND ARE SUBJECT TO CHANGE.
 BUILDING SURVEYOR TO ENSURE THAT A FINAL GEOTECHNICAL REPORT IS OBTAINED FROM A GEOTECHNICAL ENGINEER THAT HOLDS CURRENT INDEPENDANT PROFESSIONAL INSURANCE COVER AND VERIFY THAT CONDITIONS AS NOTED IN THE PRELIMINARY REPORT ARE STILL APPLICABLE, ENGINEERS TO BE ADVISED OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF THE WORKS.



130mm R.C SUSPENDED SLAB.
 SL92 FABRIC TOP & BOTTOM
 * EXTENT OF SUSPENDED SLAB AS SHOWN IS CONSIDERED INDICATIVE ONLY AND IS SUBJECT TO THE ACTUAL CONDITION ON SITE. CONTRACTOR IS TO VERIFY FILL DEPTH & EXTENT PRIOR TO COMMENCEMENT OF SLAB WORKS.
 ALL AREAS OF FILL EXCEEDING CONDITIONS NOMINATED IN FOOTING & GROUND NOTES ON DRG S1 WILL REQUIRE THE INSTALLATION OF A SUSPENDED SLAB.
 CONTRACTOR TO CONTACT THE ENGINEERS WHERE SITE CONDITIONS VARY FROM THE DOCUMENTED SUSPENDED SLAB SYSTEM EXTENT.



FOOTING PLAN
 REFER TO DRG S3'S FOR FURTHER NOTES & DETAILS
 100mm R.C SLAB c/w SL92 FABRIC TOP U.N.O

DATE:		DRAWN: R.R.		PROPOSED RESIDENCE	
SCALE: 1 : 100		ENGINEER: R.R.		FOOTING PLAN	
SHEET SIZE: A3		APPROVED: D.T.		DRG. No.	
DRAWING NORTH		© COPYRIGHT		REV. A	
REV.	REVISION DESCRIPTION	DATE	BY		